

Trionic 517



DESCRIPTION AND GENERAL PROPERTIES

- **Material** Natural latex, neoprene and nitrile
- **Length (cm)** 36
- **Thickness (mm)** 0.50
- **Wrist** Straight cuff
- **Colour/Color** Non pigmented
- **Interior finish** Chlorinated
- **Exterior finish** Embossed texture
- **Size / EAN** 6 7 8 9 10
- **Packaging** 1 pair/bag - 12 pairs/bag - 72 pairs/carton
- **Complementary information** Guaranteed without silicone
Class 100 (ISO 5) Compatible



PERFORMANCE RESULTS

Certification category 3

CE 0334




1110

Legends



MECHANICAL HAZARDS EN 388

PERFORMANCE LEVELS



LOW CHEMICAL PROTECTION EN 374



MICRO-ORGANISMS EN 374




RADIOACTIVE CONTAMINATION EN 421



HEAT AND FIRE EN 407

PERFORMANCE LEVELS




SPECIFIC CHEMICAL PROTECTION EN 374

Letter Code	Chemical product
A	Methanol
B	Acetone
C	Acetonitrile
D	Dichloromethane
E	Carbon Disulfide
F	Toluene
G	Diethylamine
H	Tetrahydrofurane
I	Ethyl acetate
J	n-Heptane
K	Sodium hydroxide 40%
L	Sulphuric acid 96%



COLD HAZARDS EN 511

PERFORMANCE LEVELS



For more details: www.mapa-pro.com

DESCRIPTION AND GENERAL PROPERTIES

- Excellent resistance and strong chemical protection against a great number of chemical products: exclusive Trionic formula made from a mix of natural latex, neoprene and nitrile
- Manufacturing process guarantees a very low level of contaminants: rates of particles, non-volatile residue, extractables => compatible with ISO 5 class (Class M3.5 for International system)
- Wide cuff for double-gloving

MAIN FIELDS OF USE

Mapa Advantech

- Controlled Environment: Product and user protection

INSTRUCTIONS FOR USE

Instructions for use

- It is recommended to check that the gloves are suitable for the intended use, because the conditions of use at workplace may differ from the «CE»-type tests.
- It is not recommended for persons sensitized to natural latex, dithiocarbamates and thiazoles to use these gloves.
- Unpack and put on the gloves according to the gowning procedure in the workplace.
- Inspect the gloves for any cracks and flaws before use.
- Put the gloves on dry, clean hands. Place the fingers into the glove. Gently pull the glove over the hand and make final adjustments only when both hands are gloved.
- Do not use the gloves in contact with a chemical for a duration in excess of the measured breakthrough time. Refer to the website www.mapa-pro.com or contact the Technical Customer Service - MAPA PROFESSIONNEL (stc.mapaspontex@mapaspontex.fr) in order to know this breakthrough time. Use 2 pairs alternatively when in long duration contact with a solvent.
- Turn the cuff end down in order to prevent a hazardous chemical from dripping onto the arm.
- Do not touch the external side of the gloves when taking them off.

Storage conditions

Store the gloves in their original packaging protected from direct sunlight, far from heat sources or electric equipment.

LEGISLATION

This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council. This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).

- CE-Type Examination Certificate

0072/014/162/12/96/0676

- Issued by the notified body nr

0072

I.F.T.H – Av. Guy de Collongue - F-69134 ECULLY CEDEX

- Quality assurance certificat

0334 Asqual 14 rue des Reculettes -F-75013 PARIS